ELSEVIER

Developmental Brain Research 105 (1998) 339–340

DEVELOPMENTAL BRAIN RESEARCH

Author Index

Andjelković, A., see Zečević, N. (105) 97
Atkins, B., see Henderson, J.L. (105) 287

Bari, F., see Beasley, T.C. (105) 125
Barone Jr., S., see Lassiter, T.L. (105) 109
Beasley, T.C., Bari, F., Thore, C., Thrikawala, N., Louis, T. and Busija, D.
Indomethacin attenuates early increases in inducible heat shock protein 70 after cerebral ischemia/reperfusion in piglets (105) 125
Bélanger, M.-C., see Sadikot, A.F. (105) 35
Berger, R., Jensen, A., Hossmann, K.-A. and Paschen, W.
Effect of mild hypothermia during and after transient in vitro ischemia on metabolic disturbances in hippocampal slices at different stages of development (105) 67
Bergeron, M., Ferriero, D.M. and Sharp, F.R.
Developmental expression of heme oxygenase-1 (HSP32) in rat brain: an immunocytochemical study (105) 181
Brandemihl, A., see Oakley, B. (105) 85
Britto, L.R.G., see Kaneko, W.M. (105) 141
Brunso-Bechtold, J.K., see Poe, B.H. (105) 153
Bulleit, R.F., see Lin, X. (105) 277
Burhan, A.M., see Sadikot, A.F. (105) 35
Busija, D., see Beasley, T.C. (105) 125

Carbone, S., see Scacchi, P. (105) 51
Carlson-Kuhta, P., see Villablanca, J.R. (105) 309
Child, M., see McCormick, C.M. (105) 295
Colella, R., see Wang, L.-J. (105) 227
Compton, D.R., see Thornton, S.R. (105) 269
Cooper, D. and Oakley, B.
Functional redundancy and gustatory development in *bdnf* null mutant mice (105) 79
Cooper, D., see Oakley, B. (105) 85
Cui, H., see Lin, X. (105) 277
Cunningham, L.A., see Quintana, J.G. (105) 147

Dexter, F., see Henderson, J.L. (105) 287
Donohue, S.M., see McCormick, C.M. (105) 295
Dumas, T.C. and Foster, T.C.
Late developmental changes in the ability of adenosine A1 receptors to regulate synaptic transmission in the hippocampus (105) 137

Ferriero, D.M., see Bergeron, M. (105) 181
Foster, T.C., see Dumas, T.C. (105) 137
Furey, B.F., see McCormick, C.M. (105) 295

Goodlett, C.R., see Thomas, J.D. (105) 159
Gottmann, K., see Werner, M. (105) 9
Gundlach, A.L., see Ryan, M.C. (105) 251

Hatt, H., see Werner, M. (105) 9
Heaton, M.B., see Mitchell, J.J. (105) 241
Henderson, J.L., Reynolds, J.D., Dexter, F., Atkins, B., Hrdy, J., Poduska, D. and Penning, D.H.
Chronic hypoxemia causes extracellular glutamate concentration to increase in the cerebral cortex of the near-term fetal sheep (105) 287
Ho, S.M., see Leamey, C.A. (105) 195
Honegger, P., Pardo, B. and Monnet-Tschudi, F.
Muscimol-induced death of GABAergic neurons in rat brain aggregating cell cultures (105) 219
Hossmann, K.-A., see Berger, R. (105) 67
Hovda, D.A., see Villablanca, J.R. (105) 309
Hrdy, J., see Henderson, J.L. (105) 287
Hughes, S., Lowrie, M.B. and Smith, M.E.
Evidence for two populations of *N*-methyl-D-aspartate receptors in neonatal rat spinal cord. The effect of peripheral nerve axotomy (105) 209

Jensen, A., see Berger, R. (105) 67

Kaneko, W.M., Britto, L.R.G., Lindstrom, J.M. and Karten, H.J.
Distribution of the $\alpha 7$ nicotinic acetylcholine receptor subunit in the developing chick cerebellum (105) 141
Karten, H.J., see Kaneko, W.M. (105) 141
Kumamoto, E., see Murata, Y. (105) 1

Lassiter, T.L., Barone Jr., S. and Padilla, S.
Ontogenetic differences in the regional and cellular acetylcholinesterase and butyrylcholinesterase activity in the rat brain (105) 109
Lau, D., see Oakley, B. (105) 85
Lawton, A., see Oakley, B. (105) 85
Leamey, C.A. and Ho, S.M.
Afferent arrival and onset of functional activity in the trigeminothalamic pathway of the rat (105) 195
Lekht, V., see Schmanke, T.D. (105) 325
Lin, X., Cui, H. and Bulleit, R.F.
BDNF accelerates gene expression in cultured cerebellar granule neurons (105) 277
Lindstrom, J.M., see Kaneko, W.M. (105) 141
Lopez-Colberg, I., see Quintana, J.G. (105) 147
Louis, T., see Beasley, T.C. (105) 125
Lowrie, M.B., see Hughes, S. (105) 209

Masuko, S., see Murata, Y. (105) 1
Matthieu, J.-M., see Zečević, N. (105) 97
McCormick, C.M., Furey, B.F., Child, M., Sawyer, M.J. and Donohue, S.M.
Neonatal sex hormones have 'organizational' effects on the hypothalamic-pituitary-adrenal axis of male rats (105) 295
Mitchell, J.J., Paiva, M., Moore, D.B., Walker, D.W. and Heaton, M.B.
A comparative study of ethanol, hypoglycemia, hypoxia and neurotrophic factor interactions with fetal rat hippocampal neurons: a multi-factor in vitro model for developmental ethanol effects (105) 241
Moguilevsky, J.A., see Scacchi, P. (105) 51
Monnet-Tschudi, F., see Honegger, P. (105) 219
Moore, D.B., see Mitchell, J.J. (105) 241
Murata, Y., Kumamoto, E. and Masuko, S.
Phenotypic characterization of septal neurons in culture: immunohistochemistry of GABA, calbindin D-28k and choline acetyltransferase, and histochemistry of acetylcholinesterase (105) 1

Nylander, K.D., see Smith, T.T.K. (105) 175

Oakley, B., Brandemihl, A., Cooper, D., Lau, D., Lawton, A. and Zhang, C.
The morphogenesis of mouse vallate gustatory epithelium and taste buds requires BDNF-dependent taste neurons (105) 85
Oakley, B., see Cooper, D. (105) 79

Padilla, S., see Lassiter, T.L. (105) 109
Paiva, M., see Mitchell, J.J. (105) 241
Pardo, B., see Honegger, P. (105) 219
Paschen, W., see Berger, R. (105) 67
Patel, H.M., see Schmanke, T.D. (105) 325
Penning, D.H., see Henderson, J.L. (105) 287
Poduska, D., see Henderson, J.L. (105) 287
Poe, B.H. and Brunso-Bechtold, J.K.
Directed outgrowth from a subset of cochlear nucleus fibers in a collagen-gel matrix (105) 153

Quintana, J.G., Lopez-Colberg, I. and Cunningham, L.A.
Use of GFAP-*lacZ* transgenic mice to determine astrocyte fate in grafts of embryonic ventral midbrain (105) 147

Redecker, P.
Developmental pattern of cell type-specific calretinin immunoreactivity in the postnatal gerbil pineal gland (105) 43
Reynolds, J.D., see Henderson, J.L. (105) 287
Roisen, F.J., see Wang, L.-J. (105) 227
Rondina, D., see Scacchi, P. (105) 51
Ryan, M.C. and Gundlach, A.L.
Ontogenic expression of natriuretic peptide mRNAs in postnatal rat brain: implications for development? (105) 251

Sadikot, A.F., Burhan, A.M., Bélanger, M.-C. and Sasseville, R.
NMDA receptor antagonists influence early development of GABAergic interneurons in the mammalian striatum (105) 35
Saji, M., see Yoshimura, M. (105) 25
Sasseville, R., see Sadikot, A.F. (105) 35
Sawyer, M.J., see McCormick, C.M. (105) 295
Scacchi, P., Carbone, S., Szwarcfarb, B., Rondina, D., Wuttke, W. and Moguilevsky, J.A.
Interactions between GABAergic and serotoninergic systems with excitatory amino acid neurotransmission in the hypothalamic control of gonadotropin secretion in prepubertal female rats (105) 51
Schmanke, T.D., Villablanca, J.R., Lekht, V. and Patel, H.M.
A critical period for reduced brain vulnerability to developmental injury. II. Volumetric study of the neocortex and thalamus in cats (105) 325
Schmanke, T.D., see Villablanca, J.R. (105) 309
Schor, N.F., see Smith, T.T.K. (105) 175
Shaban, M., Smith, R.A. and Stone, T.W.
Adenosine receptor-mediated inhibition of neurite outgrowth from cultured sensory neurons is via an A1 receptor and is reduced by nerve growth factor (105) 167
Sharp, F.R., see Bergeron, M. (105) 181
Smith, F.L., see Thornton, S.R. (105) 269
Smith, M.E., see Hughes, S. (105) 209
Smith, R.A., see Shaban, M. (105) 167
Smith, T.T.K., Nylander, K.D. and Schor, N.F.
The roles of mitotic arrest and protein synthesis in induction of apoptosis and differentiation in neuroblastoma cells in culture (105) 175
Stone, T.W., see Shaban, M. (105) 167
Szwarcfarb, B., see Scacchi, P. (105) 51

Thomas, J.D., Goodlett, C.R. and West, J.R.
Alcohol-induced Purkinje cell loss depends on developmental timing of alcohol exposure and correlates with motor performance (105) 159
Thore, C., see Beasley, T.C. (105) 125
Thornton, S.R., Compton, D.R. and Smith, F.L.
Ontogeny of *mu* opioid agonist anti-nociception in postnatal rats (105) 269
Thrikawala, N., see Beasley, T.C. (105) 125
Tosić, M., see Zečević, N. (105) 97

Villablanca, J.R., Carlson-Kuhta, P., Schmanke, T.D. and Hovda, D.A.
A critical maturational period of reduced brain vulnerability to developmental injury. I. Behavioral studies in cats (105) 309
Villablanca, J.R., see Schmanke, T.D. (105) 325

Walker, D.W., see Mitchell, J.J. (105) 241
Wang, L.-J., Colella, R. and Roisen, F.J.
Ganglioside GM1 alters neuronal morphology by modulating the association of MAP2 with microtubules and actin filaments (105) 227
Werner, M., Hatt, H. and Gottmann, K.
Synapse formation and morphological differentiation of neuron types in embryonic rat dentate gyrus explants in vitro (105) 9
West, J.R., see Thomas, J.D. (105) 159
Wuttke, W., see Scacchi, P. (105) 51

Xue, X.J., see Xue, Z. (105) 59
Xue, Z., Ziller, C. and Xue, X.J.
Quox 1 homeobox protein is expressed in postmitotic sensory neurons of dorsal root ganglia (105) 59

Yoshimura, M. and Saji, M.
Transsynaptic cell death of neurons following striatopallidal lesions does not occur in substantia nigra pars reticulata in developing rats (105) 25

Zečević, N., Andjelković, A., Matthieu, J.-M. and Tosić, M.
Myelin basic protein immunoreactivity in the human embryonic CNS (105) 97
Zhang, C., see Oakley, B. (105) 85
Ziller, C., see Xue, Z. (105) 59